



RAL System Mezzanine Floor Platform Levels 2-3 300-1500 Kgs Oem Surface Treatment

Our Product Introduction

For more products please visit us on warehouse-rackings.com


Basic Information

- Place of Origin: China
- Brand Name: Qifei
- Certification: ISO9001 CE SGS
- Model Number: Mezzanine
- Minimum Order Quantity: 10
- Price: 50
- Packaging Details: Standard Export
- Delivery Time: 20 days after deposit
- Payment Terms: 30% deposit, 70% before delivery
- Supply Ability: 8000ton/year




Product Specification


- Material: Q235B
- Item: Mezzanine Racking
- Levels: 2-3levels
- Capacity: 300-1500 Kgs Per Sqm
- Surface Treatment: Powder Coating
- Floor Decking: 300,500,800kg/sqm
- Oem: YES
- Color: RAL System
- Highlight: ral system mezzanine floor platform,
oem mezzanine floor racking,
oem mezzanine floor platform




More Images



MEZZANINE PANELS
Load relief plate is strong and stable, with a textured surface. The surface is treated with powder coating for corrosion resistance and safety. The plate is made of high-strength steel and is welded together to form a continuous surface with no gaps.



FLOOR BOARD BEAM
Floor board is made of high-strength steel, with a textured surface. The surface is treated with powder coating for corrosion resistance and safety. The board is made of high-strength steel and is welded together to form a continuous surface with no gaps.



BEAM
The beam is made of high-strength steel, with a textured surface. The surface is treated with powder coating for corrosion resistance and safety. The beam is made of high-strength steel and is welded together to form a continuous surface with no gaps.



STAIRS AND HYDRAULIC LIFTING PLATFORMS
The hydraulic platform is used to transport goods up and down between floors. It is made of high-strength steel, with a textured surface. The surface is treated with powder coating for corrosion resistance and safety. The platform is made of high-strength steel and is welded together to form a continuous surface with no gaps.



COLUMN
The column is made of high-strength steel, with a textured surface. The surface is treated with powder coating for corrosion resistance and safety. The column is made of high-strength steel and is welded together to form a continuous surface with no gaps.

Our Product

Product Description

RAL System Interim Floor Platform Levels 2-3 300-1500 Kgs Capacity Oem Surface Treatment

Product Description:

Mezzanine floor/Steel platform: Also called working platform

1. Structural design is flexible, safe and reasonable, with superior strength and stability.

2. Biggest feature is fully assembled structure (no on-site welding required).
3. Use shelves as floor supports to expand the space to obtain maximum inventory capacity when the area is limited.
4. Generally designed as 2/3 floors, with stair case/handrail/safety barrier/goods slide/goods elevator and lifting platform can be configured.
5. Each structural component of the platform is cold-bent, pickled and phosphated, electro-statically sprayed, and has a beautiful appearance.
6. Shelves and platform combined freely, Convenient installation and disassembled, High quality cold rolled steel, Suitable for high warehouse, light goods, manual access, many varieties of goods, and high quantity of good.

Applications:

The Mezzanine product is versatile and can be used in a variety of scenarios. It is perfect for businesses that need to expand their storage capacity without moving to a larger facility. It is also ideal for businesses that want to create an elevated level solution for their products, such as retail stores or showrooms. The product is also powder coated for added durability and protection against wear and tear.

Customization:

The Mezzanine product is available in a range of floor decking options, including 300, 500, and 800kg/sqm, allowing businesses to choose the right level of weight capacity for their needs. Generally designed as 2/3 floors, with stair case/handrail/safety barrier/goods slide/goods elevator and lifting platform can be configured.

Required information for quote
1, The AUTOCAD drawing or draft drawing of warehouse or racking.
2, Length, Height, and Width of the warehouse.
3, Layers of the racking
4, Pallet size.
5, Max weight of pallet with cargo on.
6, Color requirement.

Support and Services:

Our technical support team is available to help with any questions or issues related to the Mezzanine product. We offer a range of services, including:

- Installation and setup assistance
- Troubleshooting and bug fixes
- Customization and development services
- Training and documentation

We are committed to providing the highest level of support and service to our customers, and we work closely with them to ensure their success with the Mezzanine product.

Packing and Shipping:

Packaging:
The Mezzanine product will be packaged in a sturdy cardboard box with foam padding to ensure safe transport and delivery.
The box will be labeled with the product name and any necessary handling instructions.



Shipping:
The Mezzanine product will be shipped via a reputable shipping company, such as FedEx or UPS. The customer will receive a tracking number and estimated delivery date once the package has been shipped.



EXPRESS

Express door to door is the most convenient one. 5-7days will arrive



Jiangsu Qifei Intelligent Storage Equipment Co., Ltd.



+86-15161451461



sharonyan@qifeirack.com



warehouse-rackings.com

Add: #739 Dixiu Road Jiangning District Nanjing China