Drive In Pallet Rack System With Three Layers , Industrial Rack Shelving Custom Design

Our Product Introduction

Basic Information

Product Specification

- Model NO.: Qifei Drive-in Racking
- Material: Steel
- Structure: Rack
- Type: Pallet Racking
- Mobility: Fixed
- Height: 5-15m
- Weight: 2000
- Closed: Open
- Development: New Type
- Serviceability: Common Use
- Color: Customized
- Lead Time: 25 Days
- Raw Material: Q235
- Surface Treatment: Powder Coating
- Transport Package: Standard Export Packing

More Images

for more products please visit us on warehouse-rackings.com

Our Product Introduction

for more products please visit us on warehouse-rackings.com

Product Description

US Warehouse Pallet Drive-In Racking System With Three Layers At Low Shipping Cost

Product Description

QiFei Drive-in rack:

Drive-in rack is a high-density and very space-efficient type. Drive In orDouble Access Systems (Drive-through Racking) consists of continuous lanes of racking with only a single load and retrieval aisle. Loading and unloading is undertaken by means of counter balance or reach trucks that drive down each lane into the racks.



Dimensions	standard pallet size 1200x1000 / 1200x1200 / 1100x1100 / 1200x800mm
Loading	2000KG per pallet(max)
Stacking levels	4 beam levels
Thickness section	upright 88*68 / 100*68mm; beam 80~100*45
Colour	Blue, orange, Yellow and Grey or customized
Custom design	Accpeted
Surface treatment	Galvanized/Powder Coating
Quality&Services	1. Free customized design 2. Installation Instructions provided. 3. Quality cerfiticate at least 5 years. 4. We will deliver back-up accessories for maintenance along the container.

RFQs for drive in rack:

1, Under which situation should we use drive in pallet rack?

For inventory with less categories and large quantities for eack category.

2, How many depth do you plan along each drive in aisle?

For single entry, we suggest no more than 7.
For double entry, we suggest no more than 13.

3, what kind of pallet can we use in drive in pallet rack?

pallets with double faced, pallets with three runners base.
Single faced, 9 feet or any plate based will be prohibited.

4, How about the installation?

It will take 5-6 persons to do installation.
We have installation drawing for you to follow,it will be easy to carry out project installation if you follow our instruction.

5, How long do we need to wait for your production?

20 days before shipment.

6, What is your MOQ?

50pallets

Required info for quote

1、The AUTOCAD drawing of warehouse or racking
2、Length, Height, and Width of the warehouse
3、Layers of the racking
4、Pallet size
5、Max weight of pallet with cargo on
6、Color requirement

Detailed Photos



1, Top Beam
2, Top Cross
3, Support Arm
4, Pallet Rail
5, Post Protector
6, Post/upright
7, Frame Conneector
8, Rail Beam
9, Support Arm
10, Stopper Beam







Placing a pallet

1. Driver should square the forklift with the pallet rack bay opening.
2. Lift the pallet 20mm above the rails.
3. Slowly drive to the open pallet position and carefully lower the pallet.
4. Slowly back away from the system.

Retrieving a pallet

1. Square the forklift outriggers elevated to the height of the pallet to be removed.
2. Secure the pallet with the forklift.
3. Raise the load approximately 20 mm above the rails and slowly and completely out of the system.
4. Carefully turn the forklift in the aisle to prevent rack impact and damage.





APPROACHING AND ENTERING THE RACK

1. The forklift truck should approach the rack squarely and not at an angle.
2. No attempt should be made to deposit/retrieve pallets or to enter a rack when the truck is NOT ncorrectly aligned.
3. It is not acceptable to attempt to re-align a truck after entry into the rack.

Customer Site



Produce Process

Raw Material | Cold Rolling | Rust Removal

Cutting Plate | Bending | Welding

Powder Coating | Packing | Loading Container



Packaging & Shipping

Packing

Package for Upright Frame | Package for Beam

Loading for Beam | Loading for Upright Frame | Loading for Wire Mesh Cage

Shipping

Company Profile

Welcome to visit our company

Co-operation Process

FAQ

Q: Are you manufacturer or trading company?
A: We are experienced manufacturer in the warehouse storage industry.

Q: How is your delivery time?
A: Generally, it is within 20 days against formal order and deposit. It also depends on other factors such as order quantity.

Q: What is the payment term?
A: T/T 30% as deposit, and 70% before delivery. We'll show you the photos of the products and packages before you pay the balance.

Q: What is your terms of delivery?
A: EXW, FOB

Q: Are samples available?
A: Yes, We can supply the sample if we have ready parts in stock, but the customers have to pay the sample cost and the courier cost.

Q: What is the minimum order quantity?
A: Generally, MOQ is 10sets.

Q: Can I make my own brand and designed products?
A: Yes, we do both OEM and ODM, so you can make your own product with your own logo.

Q: Where is your factory? Can I visit it?
A: Our factory located in Nanjing, Welcome to visit our factory. We can arrange pick-up from the airport or train station for you.

Q: What is the material being used for your products?
A: Mild steel Q235.

Q: I don't have drawing or picture available for the products, could you design it for me?
A: Yes, we can make the best suitable design for you but need to knowmore details.

Q: Do I get any guarantee from your company?
A: 3 years warranty

Q: How do you make our business long-term and good relationship?
A: Quality makes trust and reputation, plus competitive price to ensure our customers benefit ;

Jiangsu Qifei Intelligent Storage Equipment Co., Ltd.

+86-15161451461 sharonyan@qifeirack.com warehouse-rackings.com

Add: #739 Dixiu Road Jiangning District Nanjing China