

OEM Steel Drive In Pallet Racking , Heavy Duty Industrial Racking Systems

Basic Information



Product Specification

Model NO.:
QF-Drive In Rack

Material: SteelStructure: Rack

• Type: Pallet Racking

Mobility: Fixed Height: 5-15m 2000 Weight: · Closed: Open • Development: New Type Common Use Serviceability: Customized · Color: 25 Days . Lead Time: . Raw Material: Q235 • Surface Treatment: **Powder Coating**

• canada maaniinii

• Transport Package: Standard Export Packing



More Images









Product Description


Customized Steel Heavy Duty Shelf Rack for Certificated Drive in Pallet Racking System

Product Description

QiFei Drive-in rack:

Drive-in rack is a high-density and very space-efficient type. Drive In orDouble Access Systems (Drive-through Racking) consists of continuous lanes of racking with only a single load and retrieval aisle. Loading and unloading is undertaken by means of counter balance or reach trucks that drive down each lane into the racks.

Single Way Entry/FILO





Dimensions standard pallet size 1200x1000 / 1200x1200 / 1100x1100 / 1200x800mm

Loading 2000KG per pallet(max)

Stacking levels 4 beam levels

Thickness section upright 88*68 / 100*68mm; beam 80~100*45 **Colour** Blue, orange, Yellow and Grey or customized

Custom design Accpeted

Surface treatment Galvanized/Powder Coating

1. Free customized design

2. Installation Instructions provided.

Quality&Services 3. Quality cerfiticate at least 5 years.

4. We will deliver back-up accessories for maintenance along the

container.

RFQs for drive in rack:

- 1, Under which situation should we use drive in pallet rack? For inventory with less categories and large quantities for eack category.
- 2, How many depth do you plan along each drive in aisle? For single entry, we suggest no more than 7. For double entry, we suggest no more than 13.
- 3, what kind of pallet can we use in drive in pallet rack? pallets with double faced, pallets with three runners base. Single faced, 9 feet or any plate based will be prohibited.
- 4, How about the installation?

It will take 5-6 persons to do installation.

We have installation drawing for you to follow,it will be easy to carry out project installation if you follow our instruction.

5, How long do we need to wait for your production? 20 days before shipment.


6, What is your MOQ?

50pallets

Required info for quote


- 1. The AUTOCAD drawing of warehouse or racking
- 2. Length, Height, and Width of the warehouse
- 3. Layers of the racking
- 4. Pallet size
- 5. Max weight of pallet with cargo on
- 6. Color requirement

Detailed Photos




- 1, Top Beam
- 3, Support Arm
- 5, Post Protector
- 7, Frame Connector
- 9, Support Arm
- 2, Top Cross
- 4, Pallet Rail
- 6, Post/upright
- 8, Rail Beam
- 10, Stopper Beam

LOADING THE SYSTEM




Retrieving a pallet

- 1. Square the forklift outriggers elevated to the height of the pallet to be removed.
- 2. Secure the pallet with the forklift.
- 3. Raise the load approximately 20 mm above the rails and slowly and completely out of the system.
- 4. Carefully turn the forklift in the aisle to prevent rack impact and damage.



Placing a pallet

- 1. Driver should square the forklift with the pallet rack bay opening.
- 2. Lift the pallet 20mm above the rails.
- 3. Slowly drive to the open pallet position and carefully lower the pallet.
- 4. Slowly back away from the system.



APPROACHING AND ENTERING THE RACK

- 1. The forklift truck should approach the rack squarely and not at an angle.
- 2. No attempt should be made to deposit/retrieve pallets or to enter a rack when the truck is NOT ncorrectly aligned.
- 3. It is not acceptable to attempt to re-align a truck after entry into the rack.

Customer Site













Produce Process



Packaging & Shipping

Packing





Package for Upright Frame

Package for Beam







Loading for Beam

Loading for Upright Frame

Loading for Wire Mesh Cage

Shipping







MOT AS YOUR REQUEST

AIR FREIGHT FOR URGENT Transit time:5-7 days

OCEAN SHIPPING NORMALLY Transit time: 15-40 days

Company Profile

Welcome to visit our company










Co-operation Process



FAQ

- Q: Are you manufacturer or trading company?
- A: We are experienced manufacturer in the warehouse storage industry.
- Q: How is your delivery time?
- A: Generally, it is within 20 days against formal order and deposit. It also depends on other factors such as order quantity.
- Q: What is the payment term?
- A: T/T 30% as deposit, and 70% before delivery. We'll show you the photos of the products and packages before you pay the balance.
- Q: What is your terms of delivery?
- A: EXW, FOB
- Q: Are samples available?
- A: Yes, We can supply the sample if we have ready parts in stock, but the customers have to pay the sample cost and the courier cost.
- Q: What is the minimum order quantity?
- A: Generally, MOQ is 10sets.
- Q: Can I make my own brand and designed products?
- A: Yes, we do both OEM and ODM, so you can make your own product with your own logo.
- Q: Where is your factory? Can I visit it?
- A: Our factory located in Nanjing, Welcome to visit our factory. We can arrange pick-up from the airport or train station for you.
- Q: What is the material being used for your products?
- A: Mild steel Q235.
- Q: I don't have drawing or picture available for the products, could you design it for me?
- A: Yes, we can make the best suitable design for you but need to knowmore details.
- Q: Do I get any guarantee from your company?
- A: 3 years warranty
- Q: How do you make our business long-term and good relationship?
- A: Quality makes trust and reputation, plus competitive price to ensure our customers benefit;



Jiangsu Qifei Intelligent Storage Equipment Co., Ltd.



+86-15161451461



sharonyan@qifeirack.com



warehouse-rackings.com