

# Semi Closed Heavy Load Selective Pallet Gravity Flow Racks For Warehouse Storage

## **Basic Information**





## **Product Specification**

- Model NO.:
- Material:
- Structure:
- Type:
- Mobility:
- Height:
- Weight:
- Closed:
- Development:
- Serviceability:
- Color:
- Lead Time:
- Raw Material:
- Surface Treatment: Galvanized/Powder Coating
- Transport Package: Standard Export Packing



## More Images





QF-Gravity Pallet Rack

Steel

Rack

Fixed

5-15m 100-1000

Pallet Racking

Semi-closed

Common Use Customized

New Type

20 Days

Q235B





100.000kg Semi-Closed Heavy Load Selective Pallet Flow Shelving For Warehouse Storage

#### Product Description

## **QiFei Gravity Pallet Racking:**

Working on a first-in,first-out basis, **Gravity Pallet Racking** provides extremely high levels of storage density in a given area. Pallets are loaded onto dedicated lanes of inclined gravity rollers which are set at a fixed gradient. When a load is taken from the picking face,the next pallet rolls into position, with replenishment stock loaded at the opposite (upper) end of the lane.Stock rotation is therefore automatic with the minimum of fork lift truck movements.It is used for storaging large quantity of goods of the same kind. And full use of the space can be made.

### Features of Gravity Pallet Racking:

1. **Full space utilization**: Save your space 60% compared to normal rackings.

2. Efficient: Enhance the efficiency of logistics operation, save your time .

- 3. Economical: save your space and enhance efficiency.
- 4. **Convenient**:Easy to operate ,no necessary need for regular maintenance ,durable and reliable.

5. **Safe:** Absolute safe, protect goods from destructed . Most suited for vulnerable goods.

6. Widely used in Food Industry, Medical Industry, Drink Industry, Chemical Industry and so on.


### **Required information for quote**


1, The AUTOCAD drawing or draft drawing of warehouse or racking.

- 2, Length, Height, and Width of the warehouse.
- 3, Layers of the racking
- 4, Pallet size.
- 5, Max weight of pallet with cargo on.
- 6, Color requirement.

#### **Detailed Photos**

# By using roller system or pallets with roller and under the influence of gravity "first in and first out" for the goods is achieved









The surface is sprayed with thermo-setting powder, which is beautiful and elegant



The frame and roller are easy to install and adjustable.



The installation and connection of the upright post and the cross beam are simple and stable.



The goods slide smoothly without deviation.

## **Customer Site**



When the baffle is tilted, the goods at the end are separated from the goods behind.



Adjust the sliding speed of goods through the pull rod.







#### Produce Process







Welding




Powder Coating


Packing

Bending

Loading Container









Add: #739 Dixiu Road Jiangning District Nanjing China