

Heavy Load Steel Storage Systems Cantilever Warehouse Racking With Adjustable Level

Basic Information



Product Specification

Model NO.: Cantilever Racks

Material: SteelStructure: Rack

• Type: Boltless/Rivet Racking

Mobility: Adjustable
Height: 1-15m
Weight: 100-8000kg
Closed: Open

Development: Conventional
Serviceability: Common Use
Color: Customized
Lead Time: 20 Days
Raw Material: Q235

Surface Treatment: Powder CoatingOperation: By Forklift Or Stacker



More Images









Product Description

Heavy Load Storage Made Easy with Adjustable Heavy Duty Industrial Cantilever Rack

Product Description

Jiangsu Qifei Intelligent Storage Equipment Co., Ltd.



Also called **H beam cantilever rack**, Mainly consists of column, base, arm, straight brace and "X" brace.

- 1) Simple structure, easy and quick assembled and disassembled
- 2) Single and double sided configuration available
- 3) Mainly used for the storage of long stuff such as rolled section steel, steel tube, plates, wire lines and so on.
- 4) Bolted arm and base connection
- 5) Made of H type steel or cold rolling steel or frame or square tube
- 6) Loading and unloading of goods can be done manually or by forklifts.
- 7) Selective: direct access to each goods

Length Adjustable
Width Adjustable
Height Adjustable
Material Q235B
OEM&ODM Available

Surface Treatment Galvanized/Powder Coating

Color Customized Sample Available

Detailed Photos







Step 1: Column inserted into the base and screw fixation




Step 2: Install the other side pillar and base




Step 3: Install connecting rod



Step 4: Install the cantilever beam



Step 5: Install all the cantilever beam



Step 6: Finished








Success Case







Packaging & Shipping







Package for Upright Frame

Package for Beam







Loading for Beam

Loading for Upright Frame

Loading for Wire Mesh Cage

Company Profile











Co-operation Process



Required information for quote

- 1, The AUTOCAD drawing or draft drawing of warehouse or racking.
- 2, Length, Height, and Width of the warehouse.
- 3, Layers of the racking
- 4, Pallet size.
- 5, Max weight of pallet with cargo on.
- 6, Color requirement.

FAQ

- Q: Are you manufacturer or trading company?
- A: We are experienced manufacturer in the warehouse storage industry.
- Q: How is your delivery time?
- A: Generally, it is within 25 days against formal order and deposit. It also depends on other factors such as order quantity.
- Q: What is the payment term?

A: T/T 30% as deposit, and 70% before delivery. We'll show you the photos of the products and packages before you pay the balance.

Q: What is your terms of delivery?

A: EXW, FOB

Q: Are samples available?

A: Yes, We can supply the sample if we have ready parts in stock, but the customers have to pay the sample cost and the courier cost.

Q: What is the minimum order quantity?

A: Generally, MOQ is 10sets.

Q: Can I make my own brand and designed products?

A: Yes, we do both OEM and ODM, so you can make your own product with your own logo.

Q: Where is your factory? Can I visit it?

A: Our factory located in Nanjing, Welcome to visit our factory. We can arrange pick-up from the airport or train station for you.

Q: What parameters do I need to provide for an accurate quotation?

- 1) Quantity(set)
- 2) Size: Length*Width*Height (mm) or samples or technical drawings
- 3) Load capacity per layer(kg)
- 4) Number of layers
- Q: What is the material being used for your products?
- A: Mild steel Q235.

Q: I don't have drawing or picture available for the products, could you design it for me?

A: Yes, we can make the best suitable design for you but need to knowmore details.

Q: Do I get any guarantee from your company?

A: 3~10 years warranty

Q: How do you make our business long-term and good relationship?

A: Quality makes trust and reputation, plus competitive price to ensure our customers benefit;



Jiangsu Qifei Intelligent Storage Equipment Co., Ltd.



+86-15161451461



sharonyan@qifeirack.com



warehouse-rackings.com

Add: #739 Dixiu Road Jiangning District Nanjing China