

# Powder Coated Adjustable Heavy Duty Mold Rack For Mould Warehouse Q235 Steel 3100\*600\*2000

## **Basic Information**



for more products please visit us on warehouse-rackings.com




## **Product Specification**

- Model NO .:
- Structure:
- Mobility:
- Height:
- Weight:
- Closed:
- Development:
- Serviceability:
- Lead Time:
- Raw Material:
- Surface Treatment:
- Color:
- Transport Package:
- Specification:
- Trademark:

Drawer	
Adjustable	
0-5m	
1000	
Open	
Conventional	
Mould	
15 Days	
Q235	
Powder Coating	J

QF-Mold Rack

- Customized
- Standard Export
- Customized





## More Images









## Source Manufacturer & Free Customized Design & One Stop Service



#### Product Description


#### Mold rack

Mainly store various kinds of molds. The top of mold rack can be equipped with crane and manual hoist, mold racks of sling.





### Feature:

- 1. The structure is solid , is easy to transport and load and unload;
- 2. Suitable for small and medium of molds;
- 3. The drawer board can draw out, easy to removal of molds;
- 4.Can be installed with crane and hoist.
- 5.Bearing capacity:1000-2000 kg/drawer









## **Rolling bearing wheel**

Equipped with high-quality rolling bearings, it can easily slide out even if it bears high-quality molds and items






## Safety anti-slip buckle

Built-in safety anti-slip buckle to prevent drawers from slipping, items falling and causing losses

### **Thickend Crown Block**

Sliding crown block,back reinforcement, can lift 500kg items,easy to access







## Solid Solder Leg Piece

Solid welding leg piece, and the column adopts thickened open welding leg piece, which can be reinforced according to requirements

**Client Site** 







Q: Are you manufacturer or trading company?

A: We are experienced manufacturer in the warehouse storage industry.

Q: How is your delivery time?

A: Generally, it is within 25 days against formal order and deposit. It also depends on other factors such as order quantity.

Q: What is the payment term?

A: T/T 30% as deposit, and 70% before delivery. We'll show you the photos of the products and packages before you pay the balance.

Q: What is your terms of delivery? A: EXW, FOB

Q: Are samples available?

A: Yes, We can supply the sample if we have ready parts in stock, but the customers have to pay the sample cost and the courier cost.

- Q: What is the minimum order quantity?
- A: Generally, MOQ is 10sets.

Q: Can I make my own brand and designed products? A: Yes, we do both OEM and ODM, so you can make your own

product with your own logo.

Q: Where is your factory? Can I visit it?

A: Our factory located in Nanjing, Welcome to visit our factory. We can arrange pick-up from the airport or train station for you.

Q: What parameters do I need to provide for an accurate quotation?

- 1) Quantity(set)
- 2) Size: Length\*Width\*Height (mm) or samples or technical drawings
- 3) Load capacity per layer(kg)
- 4) Number of layers
- Q: What is the material being used for your products?

A: Mild steel Q235.

Q: I don't have drawing or picture available for the products, could you design it for me?

A: Yes, we can make the best suitable design for you but need to knowmore details.

Q: Do I get any guarantee from your company?

A: 3~10 years warranty

Q: How do you make our business long-term and good relationship?

A: Quality makes trust and reputation, plus competitive price to ensure our customers benefit ;





customer needs

**Technical support** 

Provide professional consulting

services, design according to

#### **Equipment customization**

we provide customized storage quipment design to meet customer and different application scenarios needs.

After Service

Perfect after-sales service, including equipment maintenance, spare parts supply, technical consultation and other services.

Service & Support



C	+86-15161451461	sharonyan@qifeirack.com	e warehouse-rackings.com		
Add: #739 Dixiu Road Jiangning District Nanjing China					