

Open Design Three Layers Warehouse Pallet Drive-in Storage Racking System Development

Basic Information





Product Specification

- Model NO.:
- Material:
- Structure:
- Type:
- Mobility:
- Height:
- Weight:
- Closed:
- Development:
- Serviceability:
- Color:
- Lead Time:
- Raw Material:
- Surface Treatment:
- Transport Package:





More Images





Qifei Drive-in Racking

Steel

Rack

Fixed

5-15m 2000

Open

New Type Common Use

Customized

Powder Coating

Standard Export Packing

25 Days

Q235

Pallet Racking






Product Description

QiFei Drive-in rack:

Drive-in rack is a high-density and very space-efficient type. Drive In orDouble Access Systems (Drive-through Racking) consists of continuous lanes of racking with only a single load and retrieval aisle. Loading and unloading is undertaken by means of counter balance or reach trucks that drive down each lane into the racks.



Dimensions	standard pallet size 1200x1000 / 1200x1200 / 1100x1100 / 1200x800mm
Loading	2000KG per pallet(max)
Stacking levels	4 beam levels
Thickness section	upright 88*68 / 100*68mm; beam 80~100*45
Colour	Blue, orange, Yellow and Grey or customized
Custom design	Accpeted
Surface treatment	Galvanized/Powder Coating
Quality&Services	 Free customized design Installation Instructions provided. Quality cerfiticate at least 5 years. We will deliver back-up accessories for maintenance along the container.
RFQs for drive i	n rack:

QS for drive in rack:

1, Under which situation should we use drive in pallet rack? For inventory with less categories and large quantities for eack category.

2, How many depth do you plan along each drive in aisle?

- For single entry, we suggest no more than 7.
- For double entry, we suggest no more than 13.

3, what kind of pallet can we use in drive in pallet rack? pallets with double faced, pallets with three runners base.

Single faced, 9 feet or any plate based will be prohibited. 4, How about the installation?

It will take 5-6 persons to do installation.

We have installation drawing for you to follow, it will be easy to carry out project installation if you follow our instruction.

5, How long do we need to wait for your production?

20 days before shipment.


6, What is your MOQ?

50pallets

Required info for quote

- 1. The AUTOCAD drawing of warehouse or racking
- 2、Length, Height, and Width of the warehouse
- 3、Layers of the racking
- 4、Pallet size
- 5. Max weight of pallet with cargo on
- 6. Color requirement

Detailed Photos




2, Top Cross

- 3, Support Arm
- 5, Post Protector
- 7, Frame Conneector
- 9, Support Arm


1, Top Beam

- 4, Pallet Rail 6, Post/upright
- 8, Rail Beam
- 10, Stopper Beam





LOADING THE SYSTEM




Retrieving a pallet

1. Square the forklift outriggers elevated to the height of the pallet to be removed.

2. Secure the pallet with the forklift.

3. Raise the load approximately 20 mm above the rails and slowly and completely out of the system.

4. Carefully turn the forklift in the aisle to prevent rack impact and damage.



Customer Site

Placing a pallet

1. Driver should square the forklift with the pallet rack bay opening.

2. Lift the pallet 20mm above the rails.

3. Slowly drive to the open pallet position and carefully lower the pallet.

4. Slowly back away from the system.

UNLOADING THE SYSTEM 1 10 7 4 11 8 5 2 12 9 6 3 STATE OF TAXABLE PARTY. in the second

APPROACHING AND ENTERING THE RACK

1. The forklift truck should approach the rack squarely and not at an angle.

2. No attempt should be made to deposit/retrieve pallets or to enter a rack when the truck is NOT ncorrectly aligned.

3. It is not acceptable to attempt to re-align a truck after entry into the rack.













Produce Process



Raw Material



Cutting Plate

Bending

Welding




Powder Coating

Packing

Loading Container





01 02 03 04 05 Consult customer service online about needs. Designer design the storage plan for free and confirm the final plan. Place order and payment, Start production. Tracking of production progress. ensure lead time and quality. Shipment, after-sales service.			
FAQ			
 Q: Are you manufacturer or trading company? A: We are experienced manufacturer in the warehouse storage industry. Q: How is your delivery time? A: Generally, it is within 20 days against formal order and deposit. It also depends on other factors such as order quantity. 			
Q: What is the payment term? A: T/T 30% as deposit, and 70% before delivery. We'll show you the photos of the products and packages before you pay the balance.			
Q: What is your terms of delivery? A: EXW, FOB			
Q: Are samples available? A: Yes, We can supply the sample if we have ready parts in stock, but the customers have to pay the sample cost and the courier cost.			
Q: What is the minimum order quantity? A: Generally, MOQ is 10sets.			
Q: Can I make my own brand and designed products? A: Yes, we do both OEM and ODM, so you can make your own product with your own logo.			
Q: Where is your factory? Can I visit it? A: Our factory located in Nanjing, Welcome to visit our factory. We can arrange pick-up from the airport or train station for you.			
Q: What is the material being used for your products? A: Mild steel Q235.			
Q: I don't have drawing or picture available for the products, could you design it for me? A: Yes, we can make the best suitable design for you but need to knowmore details.			
Q: Do I get any guarantee from your company? A: 3 years warranty			
Q: How do you make our business long-term and good relationship? A: Quality makes trust and reputation, plus competitive price to ensure our customers benefit ;			
Jiangsu Qifei Intelligent Storage Equipment Co., Ltd.			
🕓 +86-15161451461 🛛 🗢 sharonyan@qifeirack.com 📀 warehouse-rackings.com			

Add: #739 Dixiu Road Jiangning District Nanjing China